

HEPA Filters

BioCel® VXL

Product Overview

- Engineered to meet the exacting requirements of precision manufacturing operations and laboratories
- Fills the gap between ASHRAE grade high-efficiency filters and high efficiency HEPA filters
- Low initial pressure drop
- High impact polystyrene (HIPS) cell sides
- Fully incinerable



Specification

EN1822	E10, E11
Filter Depth (mm)	292
Media Type	Fibreglass
Frame Material	Plastic
Separator Style	Hot Melt
Special Size Available	No
Antimicrobial Available	No
Header Type	Single Header
Gasket Material (Standard)	Neoprene
Gasket Material (Optional)	PU, None
Recommended Final Resistance	500 Pa
Max Operating Temperature	70°C

Product Information

Part Number	Nominal Size Inches (W x H x D)	Actual Size mm (W x H x D)	Rated Airflow (CMH)	Rated Initial Resistance (Pa)
<b>E10</b>				
M336-124-003	24 x 12 x 12	592 x 287 x 292	1,700	150
M336-124-002	24 x 20 x 12	592 x 490 x 292	2,800	
M336-124-001	24 x 24 x 12	592 x 592 x 292	3,400	
<b>E11</b>				
M336-128-003	24 x 12 x 12	592 x 287 x 292	1,700	180
M336-128-002	24 x 20 x 12	592 x 490 x 292	2,800	
M336-128-001	24 x 24 x 12	592 x 592 x 292	3,400	

HEPA FILTERS

AAF has a policy of continuous product research and improvement and reserves the right to change design and specifications without notice.

www.aafintl.com



Bringing clean air to life: