

Bag Filters

# DriPak® 2000

**Product Overview**

- High-loft layered melt blown synthetic media, stronger than fibreglass
- Non-shedding and water-resistant media
- Ultrasonically-welded pocket configuration that guarantees complete pocket inflation and eliminates crowding or leakage
- Strong and robust material that displays excellent abrasional resistance and performs well in 100% RH condition



**Specification**

EN779	M5 - F9
ASHRAE 52.2	MERV 10 - 15
ISO 16890	ePM10 65%, 80%, 85%
Filter Depth (mm)	305 - 914
Media Type	Synthetic
Frame Material	Galvanised Steel
Special Size Available	Yes
Antimicrobial Available	Optional
Single Header	Yes
Recommended Final Resistance	450 Pa
Max Operating Temperature	66°C
Air Filtration Certificate	UL 900

**Product Information**

Part Number	Nominal Size Inches (W x H x D)	Actual Size mm (W x H x D)	Number of Pocket	Rated Airflow (CMH)	Rated Initial Resistance (Pa)
<b>M5 / MERV 10</b>					
M704-124-120	12 x 24 x 12	289 x 594 x 305	4	1,700	88
M704-136-120	20 x 24 x 12	492 x 594 x 305	6	2,800	
M704-118-120	24 x 24 x 12	594 x 594 x 305	8	3,400	
M704-124-150	12 x 24 x 15	289 x 594 x 381	4	1,700	78
M704-136-150	20 x 24 x 15	492 x 594 x 381	6	2,800	
M704-118-150	24 x 24 x 15	594 x 594 x 381	8	3,400	
M704-124-210	12 x 24 x 21	289 x 594 x 533	4	1,700	68
M704-136-210	20 x 24 x 21	492 x 594 x 533	6	2,800	
M704-118-210	24 x 24 x 21	594 x 594 x 533	8	3,400	
M704-124-240	12 x 24 x 24	289 x 594 x 610	4	1,700	53
M704-136-240	20 x 24 x 24	492 x 594 x 610	6	2,800	
M704-118-300	24 x 24 x 24	594 x 594 x 610	8	3,400	
M704-124-300	12 x 24 x 30	289 x 594 x 762	4	1,700	45
M704-136-300	20 x 24 x 30	492 x 594 x 762	6	2,800	
M704-118-300	24 x 24 x 30	594 x 594 x 762	8	3,400	

BAG FILTERS

AAF has a policy of continuous product research and improvement and reserves the right to change design and specifications without notice.

www.aafintl.com



Bringing clean air to life.

Bag Filters

DriPak® 2000

Product Information

BAG FILTERS

Part Number	Nominal Size Inches (W x H x D)	Actual Size mm (W x H x D)	Number of Pocket	Rated Airflow (CMH)	Rated Initial Resistance (Pa)
<b>M6 / MERV 11 / ePM10 65%</b>					
M706-124-120	12 x 24 x 12	289 x 594 x 305	4	1,700	100
M706-136-120	20 x 24 x 12	492 x 594 x 305	6	2,800	
M706-118-120	24 x 24 x 12	594 x 594 x 305	8	3,400	
M706-124-150	12 x 24 x 15	289 x 594 x 381	4	1,700	87
M706-136-150	20 x 24 x 15	492 x 594 x 381	6	2,800	
M706-118-150	24 x 24 x 15	594 x 594 x 381	8	3,400	
M706-124-210	12 x 24 x 21	289 x 594 x 533	4	1,700	77
M706-136-210	20 x 24 x 21	492 x 594 x 533	6	2,800	
M706-118-210	24 x 24 x 21	594 x 594 x 533	8	3,400	
M706-124-240	12 x 24 x 24	289 x 594 x 610	4	1,700	61
M706-136-240	20 x 24 x 24	492 x 594 x 610	6	2,800	
M706-118-240	24 x 24 x 24	594 x 594 x 610	8	3,400	
M706-124-300	12 x 24 x 30	289 x 594 x 762	4	1,700	53
M706-136-300	20 x 24 x 30	492 x 594 x 762	6	2,800	
M706-118-300	24 x 24 x 30	594 x 594 x 762	8	3,400	
M706-124-360	12 x 24 x 36	289 x 594 x 914	4	1,700	46
M706-136-360	20 x 24 x 36	492 x 594 x 914	6	2,800	
M706-118-360	24 x 24 x 36	594 x 594 x 914	8	3,400	
<b>F7 / MERV 13 / ePM10 80%</b>					
M708-124-120	12 x 24 x 12	289 x 594 x 305	4	1,700	116
M708-136-120	20 x 24 x 12	492 x 594 x 305	6	2,800	
M708-118-120	24 x 24 x 12	594 x 594 x 305	8	3,400	
M708-124-150	12 x 24 x 15	289 x 594 x 381	4	1,700	102
M708-136-150	20 x 24 x 15	492 x 594 x 381	6	2,800	
M708-118-150	24 x 24 x 15	594 x 594 x 381	8	3,400	
M708-124-210	12 x 24 x 21	289 x 594 x 533	4	1,700	90
M708-136-210	20 x 24 x 21	492 x 594 x 533	6	2,800	
M708-118-210	24 x 24 x 21	594 x 594 x 533	8	3,400	
M708-124-240	12 x 24 x 24	289 x 594 x 610	4	1,700	73
M708-136-240	20 x 24 x 24	492 x 594 x 610	6	2,800	
M708-118-240	24 x 24 x 24	594 x 594 x 610	8	3,400	
M708-124-300	12 x 24 x 30	289 x 594 x 762	4	1,700	65
M708-136-300	20 x 24 x 30	492 x 594 x 762	6	2,800	
M708-118-300	24 x 24 x 30	594 x 594 x 762	8	3,400	
M708-124-360	12 x 24 x 36	289 x 594 x 914	4	1,700	58
M708-136-360	20 x 24 x 36	492 x 594 x 914	6	2,800	
M708-118-360	24 x 24 x 36	594 x 594 x 914	8	3,400	

AAF has a policy of continuous product research and improvement and reserves the right to change design and specifications without notice.

www.aafintl.com



Bringing clean air to life.

Bag Filters

DriPak® 2000

Product Information

Part Number	Nominal Size Inches (W x H x D)	Actual Size mm (W x H x D)	Number of Pocket	Rated Airflow (CMH)	Rated Initial Resistance (Pa)
<b>F8 / MERV 14 / ePM10 80%</b>					
M709-124-120	12 x 24 x 12	289 x 594 x 305	4	1,700	139
M709-136-120	20 x 24 x 12	492 x 594 x 305	6	2,800	
M709-118-120	24 x 24 x 12	594 x 594 x 305	8	3,400	
M709-124-150	12 x 24 x 15	289 x 594 x 381	4	1,700	123
M709-136-150	20 x 24 x 15	492 x 594 x 381	6	2,800	
M709-118-150	24 x 24 x 15	594 x 594 x 381	8	3,400	
M709-124-210	12 x 24 x 21	289 x 594 x 533	4	1,700	112
M709-136-210	20 x 24 x 21	492 x 594 x 533	6	2,800	
M709-118-210	24 x 24 x 21	594 x 594 x 533	8	3,400	
M709-124-240	12 x 24 x 24	289 x 594 x 610	4	1,700	88
M709-136-240	20 x 24 x 24	492 x 594 x 610	6	2,800	
M709-118-240	24 x 24 x 24	594 x 594 x 610	8	3,400	
M709-124-300	12 x 24 x 30	289 x 594 x 762	4	1,700	80
M709-136-300	20 x 24 x 30	492 x 594 x 762	6	2,800	
M709-118-300	24 x 24 x 30	594 x 594 x 762	8	3,400	
M709-124-360	12 x 24 x 36	289 x 594 x 914	4	1,700	72
M709-136-360	20 x 24 x 36	492 x 594 x 914	6	2,800	
M709-118-360	24 x 24 x 36	594 x 594 x 914	8	3,400	
<b>F9 / MERV 15 / ePM10 85%</b>					
M700-124-120	12 x 24 x 12	289 x 594 x 305	4	1,700	165
M700-136-120	20 x 24 x 12	492 x 594 x 305	6	2,800	
M700-118-120	24 x 24 x 12	594 x 594 x 305	8	3,400	
M700-124-150	12 x 24 x 15	289 x 594 x 381	4	1,700	145
M700-136-150	20 x 24 x 15	492 x 594 x 381	6	2,800	
M700-118-150	24 x 24 x 15	594 x 594 x 381	8	3,400	
M700-124-210	12 x 24 x 21	289 x 594 x 533	4	1,700	132
M700-136-210	20 x 24 x 21	492 x 594 x 533	6	2,800	
M700-118-210	24 x 24 x 21	594 x 594 x 533	8	3,400	
M700-124-240	12 x 24 x 24	289 x 594 x 610	4	1,700	105
M700-136-240	20 x 24 x 24	492 x 594 x 610	6	2,800	
M700-118-240	24 x 24 x 24	594 x 594 x 610	8	3,400	
M700-124-300	12 x 24 x 30	289 x 594 x 762	4	1,700	95
M700-136-300	20 x 24 x 30	492 x 594 x 762	6	2,800	
M700-118-300	24 x 24 x 30	594 x 594 x 762	8	3,400	
M700-124-360	12 x 24 x 36	289 x 594 x 914	4	1,700	85
M700-136-360	20 x 24 x 36	492 x 594 x 914	6	2,800	
M700-118-360	24 x 24 x 36	594 x 594 x 914	8	3,400	

BAG FILTERS

AAF has a policy of continuous product research and improvement and reserves the right to change design and specifications without notice.

www.aafintl.com



Bringing clean air to life: